Contents:

Volume 146, Number 1, July 12, 1999

In Brief

New visual screen uncovers novel nuclear envelope protein. Recycling of cell surface cadherin. New family of dynein proteins. Spindle assembly in meiosis. DAP-Kinase in apoptosis pathways.

A.W. Dove

Regular Articles

1 **Kinetochore fibers are not involved in the formation of the first meiotic spindle in mouse oocytes, but control the exit from the first meiotic M phase.**

S. Brunet, A. Santa Maria, P. Guillaud, D. Dujardin, J.Z. Kubiak, and B. Maro

13 **Mutations in the essential spindle checkpoint gene *bub1* cause chromosome missegregation and fail to block apoptosis in *Drosophila*.**

J. Basu, H. Bousbaa, E. Logarinho, Z. Li, B.C. Williams, C. Lopes, C.E. Sunkel, and M.L. Goldberg

29 **A visual screen of a GFP-fusion library identifies a new type of nuclear envelope membrane protein.**

M.M. Rolls, P.A. Stein, S.S. Taylor, E. Ha, F. McKeon, and T.A. Rapoport

45 **Component specificity for the thylakoidal Sec and Delta pH–dependent protein transport pathways.**

H. Mori, E.J. Summer, X. Ma, and K. Cline

57 **A role for the vesicle tethering protein, p115, in the post-mitotic stacking of reassembling Golgi cisternae in a cell-free system.**

J. Shorter and G. Warren

71 **GBF1: A novel Golgi-associated BFA-resistant guanine nucleotide exchange factor that displays specificity for ADP-ribosylation factor 5.**

A. Claude, B.-P. Zhao, C.E. Kuziemsky, S. Dahan, S.J. Berger, J.-P. Yan, A.D. Armold, E.M. Sullivan, and P. Melançon

85 **A cell-free assay allows reconstitution of Vps33p-dependent transport to the yeast vacuole/lysosome.**

T. Vida and B. Gerhardt

99 **Pex22p of *Pichia pastoris*, essential for peroxisomal matrix protein import, anchors the ubiquitin-conjugating enzyme, Pex4p, on the peroxisomal membrane.**

A. Koller, W.B. Snyder, K.N. Faber, T.J. Wenzel, L. Rangell, G.A. Keller, and S. Subramani

113 **Intracellular localization of proteasomal degradation of a viral antigen.**

L.C. Antón, U. Schubert, I. Bacík, M.F. Princiotta, P.A. Wearsch, J. Gibbs, P.M. Day, C. Realini, M.C. Rechsteiner, J.R. Bennink, and J.W. Yewdell

125 **Yeast homologues of tomosyn and *lethal giant larvae* function in exocytosis and are associated with the plasma membrane SNARE, Sec9.**

K. Lehman, G. Rossi, J.E. Adamo, and P. Brennwald

141 **DAP-Kinase participates in TNF-α– and Fas-induced apoptosis and its function requires the death domain.**

O. Cohen, B. Inbal, J.L. Kissil, T. Raveh, H. Berissi, T. Spivak-Kroizaman, E. Feinstein, and A. Kimchi

149 **Myosin light chain kinase functions downstream of Ras/ERK to promote migration of urokinase-type plasminogen activator-stimulated cells in an integrin-selective manner.**

D.H.D. Nguyen, A.D. Catling, D.J. Webb, M. Sankovic, L.A. Walker, A.V. Somlyo, M.J. Weber, and S.L. Gonias

165 ***Drosophila roadblock* and *Chlamydomonas* LC7: A conserved family of dynein-associated proteins involved in axonal transport, flagellar motility, and mitosis.**

A.B. Bowman, R.S. Patel-King, S.E. Benashski, J.M. McCaffery, L.S.B. Goldstein, and S.M. King

181 **Age-related atrophy of motor axons in mice deficient in the mid-sized neurofilament subunit.**

G.A. Elder, V.L. Friedrich, Jr., A. Margita, and R.A. Lazzarini

193 **Genomic organization, expression, and analysis of the troponin C gene *pat-10* of *Caenorhabditis elegans*.**

H. Terami, B.D. Williams, S.-i. Kitamura, Y. Sakube, S. Matsumoto, S. Doi, T. Obinata, and H. Kagawa

203 **α-Bungarotoxin receptors contain α7 subunits in two different disulfide-bonded conformations.**

S. Rakhilin, R.C. Drisdel, D. Sagher, D.S. McGehee, Y. Vallejo, and W.N. Green

219 **Recycling of E-cadherin: A potential mechanism for regulating cadherin dynamics.**

T.L. Le, A.S. Yap, and J.L. Stow

233 **Neuropilin-1 mediates collapsin-1/semaphorin III inhibition of endothelial cell motility: Functional competition of collapsin-1 and vascular endothelial growth factor-165.**

H.-Q. Miao, S. Soker, L. Feiner, J.L. Alonso, J.A. Raper, and M. Klagsbrun

243 **IP-10 inhibits epidermal growth factor–induced motility by decreasing epidermal growth factor receptor–mediated calpain activity.**
H. Shiraha, A. Glading, K. Gupta, and A. Wells

255 **Glypican-3–deficient mice exhibit developmental overgrowth and some of the abnormalities typical of Simpson-Golabi-Behmel syndrome.**
D.F. Cano-Gauci, H.H. Song, H. Yang, C. McKerlie, B. Choo, W. Shi, R. Pullano, T.D. Piscione, S. Grisaru, S. Soon, L. Sedlackova, A.K. Tanswell, T.W. Mak, H. Yeger, G.A. Lockwood, N.D. Rosenblum, and J. Filmus

265 **ADDITIONS AND CORRECTIONS**

Volume 146, Number 2, July 26, 1999

In Brief

Glycans not GPIs. Cytoskeletal regulation by Ral and JNK. Stabilizing kinetochore microtubules. Membrane proliferation. Cadherins in adhesion and motility.
W.A. Wells

Mini-Review

267 **Signaling to actin dynamics.**
L.M. Machesky and R.H. Insall

Regular Articles

273 **Expression of the 180-kD ribosome receptor induces membrane proliferation and increased secretory activity in yeast.**
F. Becker, L. Block-Alper, G. Nakamura, J. Harada, K.D. Wittrup, and D.I. Meyer

285 **Roles for α_2p24 and COPI in endoplasmic reticulum cargo exit site formation.**
C. Lavoie, J. Paiement, M. Dominguez, L. Roy, S. Dahan, J.N. Gushue, and J.J.M. Bergeron

301 **ERG30, a VAP-33–related protein, functions in protein transport mediated by COPI vesicles.**
L. Soussan, D. Burakov, M.P. Daniels, M. Toister-Achituv, A. Porat, Y. Yarden, and Z. Elazar

313 **N-Glycans mediate the apical sorting of a GPI-anchored, raft-associated protein in Madin-Darby canine kidney cells.**
J.H. Benting, A.G. Rietveld, and K. Simons

321 **Biogenesis of Tom40, core component of the TOM complex of mitochondria.**
D. Rapaport and W. Neupert

333 **Sec1p binds to SNARE complexes and concentrates at sites of secretion.**
C.M. Carr, E. Grote, M. Munson, F.M. Hughson, and P.J. Novick

345 **Chimeric forms of furin and TGN38 are transported from the plasma membrane to the trans-Golgi network via distinct endosomal pathways.**
W.G. Mallet and F.R. Maxfield

361 **The *Drosophila* ral GTPase regulates developmental cell shape changes through the Jun NH_2-terminal kinase pathway.**
K. Sawamoto, P. Winge, S. Koyama, Y. Hirota, C. Yamada, S. Miyao, S. Yoshikawa, M.-h. Jin, A. Kikuchi, and H. Okano

373 **The GTP-binding protein Rho1p is required for cell cycle progression and polarization of the yeast cell.**
J. Drgonová, T. Drgon, D.-H. Roh, and E. Cabib

389 **Shc and FAK differentially regulate cell motility and directionality modulated by PTEN.**
J. Gu, M. Tamura, R. Pankov, E.H.J. Danen, T. Takino, K. Matsumoto, and K.M. Yamada

405 **Kinetic control of multiple forms of Ca^{2+} spikes by inositol trisphosphate in pancreatic acinar cells.**
K. Ito, Y. Miyashita, and H. Kasai

415 **Slk19p is a centromere protein that functions to stabilize mitotic spindles.**
X. Zeng, J.A. Kahana, P.A. Silver, M.K. Morphew, J.R. McIntosh, I.T. Fitch, J. Carbon, and W.S. Saunders

427 **Establishment of the dorsal–ventral axis in *Xenopus* embryos coincides with the dorsal enrichment of Dishevelled that is dependent on cortical rotation.**
J.R. Miller, B.A. Rowning, C.A. Larabell, J.A. Yang-Snyder, R.L. Bates, and R.T. Moon

439 **The nonmuscle myosin regulatory light chain gene *mlc-4* is required for cytokinesis, anterior-posterior polarity, and body morphology during *Caenorhabditis elegans* embryogenesis.**
C.A. Shelton, J.C. Carter, G.C. Ellis, and B. Bowerman

453 **DAip1, a *Dictyostelium* homologue of the yeast actin-interacting protein 1, is involved in endocytosis, cytokinesis, and motility.**
A. Konzok, I. Weber, E. Simmeth, U. Hacker, M. Maniak, and A. Müller-Taubenberger

465 **ZASP: A new Z-band alternatively spliced PDZ-motif protein.**
G. Faulkner, A. Pallavicini, E. Formentin, A. Comelli, C. Ievolella, S. Trevisan, G. Bortoletto, P. Scannapieco, M. Salamon, V. Mouly, G. Valle, and G. Lanfranchi

477 **Characterization of integrin–tetraspanin adhesion complexes: Role of tetraspanins in integrin signaling.**
F. Berditchevski and E. Odintsova

493 **Three-dimensional location of the imperatoxin A binding site on the ryanodine receptor.**
M. Samsó, R. Trujillo, G.B. Gurrola, H.H. Valdivia, and T. Wagenknecht

501 **Differential function of N-cadherin and cadherin-7 in the control of embryonic cell motility.**
S. Dufour, A. Beauvais-Jouneau, A. Delouvée, and J.P. Thiery

517 **Airway epithelial cell migration dynamics: MMP-9 role in cell–extracellular matrix remodeling.**
C. Legrand, C. Gilles, J.-M. Zahm, M. Polette, A.-C. Buisson, H. Kaplan, P. Birembaut, and J.-M. Tournier

Volume 146, Number 3, August 9, 1999

In Brief

Cholesterol in receptor complex assembly. Transcription and processing sites within the nucleus. Coordination of mitosis.
A.W. Dove

Regular Articles

531 **Association of chromosome territories with the nuclear matrix: Disruption of human chromosome territories correlates with the release of a subset of nuclear matrix proteins.**
H. Ma, A.J. Siegel, and R. Berezney

543 **Three-dimensional visualization of transcription sites and their association with splicing factor–rich nuclear speckles.**
X. Wei, S. Somanathan, J. Samarabandu, and R. Berezney

559 **Localization in the nucleolus and coiled bodies of protein subunits of the ribonucleoprotein ribonuclease P.**
N. Jarrous, J.S. Wolenski, D. Wesolowski, C. Lee, and S. Altman

573 **Cdc25B and Cdc25C differ markedly in their properties as initiators of mitosis.**
C. Karlsson, S. Katich, A. Hagting, I. Hoffmann, and J. Pines

585 **The sudden recruitment of γ-tubulin to the centrosome at the onset of mitosis and its dynamic exchange throughout the cell cycle, do not require microtubules.**
A. Khodjakov and C.L. Rieder

597 **Cytoplasmic dynein is required for the nuclear attachment and migration of centrosomes during mitosis in *Drosophila*.**
J.T. Robinson, E.J. Wojcik, M.A. Sanders, M. McGrail, and T.S. Hays

609 **Two compartments for insulin-stimulated exocytosis in 3T3-L1 adipocytes defined by endogenous ACRP30 and GLUT4.**
J.S. Bogan and H.F. Lodish

621 **Type 3 and type 1 ryanodine receptors are localized in triads of the same mammalian skeletal muscle fibers.**
B.E. Flucher, A. Conti, H. Takeshima, and V. Sorrentino

631 **I-Band titin in cardiac muscle is a three-element molecular spring and is critical for maintaining thin filament structure.**
W.A. Linke, D.E. Rudy, T. Centner, M. Gautel, C. Witt, S. Labeit, and C.C. Gregorio

645 **Insoluble γ-tubulin–containing structures are anchored to the apical network of intermediate filaments in polarized CACO-2 epithelial cells.**
P.J.I. Salas

659 **Myotactin, a novel hypodermal protein involved in muscle–cell adhesion in *Caenorhabditis elegans*.**
M.C. Hresko, L.A. Schriefer, P. Shrimankar, and R.H. Waterston

673 **Role of cholesterol in formation and function of a signaling complex involving αvβ3, integrin-associated protein (CD47), and heterotrimeric G proteins.**
J.M. Green, A. Zhelesnyak, J. Chung, F.P. Lindberg, M. Sarfati, W.A. Frazier, and E.J. Brown

683 **Connexin-occludin chimeras containing the ZO-binding domain of occludin localize at MDCK tight junctions and NRK cell contacts.**
L.L. Mitic, E.E. Schneeberger, A.S. Fanning, and J.M. Anderson

695 ADDITIONS AND CORRECTIONS

Volume 146, Number 4, August 23, 1999

In Brief

Cooperating cytoskeletons. Defining the real prereplication complex. Giant gene manipulation. Phosphoiositide control of endocytosis.

W.A. Wells

Mini-Reviews

697 **Employment of the epidermal growth factor receptor in growth factor–independent signaling pathways.**

G. Carpenter

703 **Extranuclear apoptosis: The role of the cytoplasm in the execution phase.**

J.C. Mills, N.L. Stone, and R.N. Pittman

Regular Articles

709 **Mcm2, but not RPA, is a component of the mammalian early G1-phase prereplication complex.**

D.S. Dimitrova, I.T. Todorov, T. Melendy, and D.M. Gilbert

723 **The ribosome regulates the GTPase of the β-subunit of the signal recognition particle receptor.**

G. Bacher, M. Pool, and B. Dobberstein

731 **The developmental role of *warthog*, the Notch modifier encoding *Drab6*.**

K. Purcell and S. Artavanis-Tsakonas

741 **Electrospray ionization tandem mass spectrometry (ESI-MS/MS) analysis of the lipid molecular species composition of yeast subcellular membranes reveals acyl chain-based sorting/remodeling of distinct molecular species en route to the plasma membrane.**

R. Schneiter, B. Brügger, R. Sandhoff, G. Zellnig, A. Leber, M. Lampl, K. Athenstaedt, C. Hrastnik, S. Eder, G. Daum, F. Paltauf, F.T. Wieland, and S.D. Kohlwein

755 **Phosphoinositide–AP-2 interactions required for targeting to plasma membrane clathrin-coated pits.**

I. Gaidarov and J.H. Keen

765 **VAMP-7 mediates vesicular transport from endosomes to lysosomes.**

R.J. Advani, B. Yang, R. Prekeris, K.C. Lee, J. Klumperman, and R.H. Scheller

777 **Sid2p, a spindle pole body kinase that regulates the onset of cytokinesis.**

C.A. Sparks, M. Morphew, and D. McCollum

791 **Regulation of APC activity by phosphorylation and regulatory factors.**

S. Kotani, H. Tanaka, H. Yasuda, and K. Todokoro

801 **Domains in the 1α dynein heavy chain required for inner arm assembly and flagellar motility in *Chlamydomonas*.**

S.H. Myster, J.A. Knott, K.M. Wysocki, E. O'Toole, and M.E. Porter

819 **In vivo, villin is required for Ca^{2+}-dependent F-actin disruption in intestinal brush borders.**

E. Ferrary, M. Cohen-Tannoudji, G. Pehau-Arnaudet, A. Lapillonne, R. Athman, T. Ruiz, L. Boulouha, F. El Marjou, A. Doye, J.-J. Fontaine, C. Antony, C. Babinet, D. Louvard, F. Jaisser, and S. Robine

831 **Integrating the actin and vimentin cytoskeletons: Adhesion-dependent formation of fimbrin–vimentin complexes in macrophages.**

I. Correia, D. Chu, Y.-H. Chou, R.D. Goldman, and P. Matsudaira

843 **Analysis of CD44-containing lipid rafts: Recruitment of annexin II and stabilization by the actin cytoskeleton.**

S. Oliferenko, K. Paiha, T. Harder, V. Gerke, C. Schwärzler, H. Schwarz, H. Beug, U. Günthert, and L.A. Huber

855 **Exogenous expression of β-catenin regulates contact inhibition, anchorage-independent growth, anoikis, and radiation-induced cell cycle arrest.**

K. Orford, C.C. Orford, and S.W. Byers

869 **Intracellular movement of green fluorescent protein–tagged phosphatidylinositol 3-kinase in response to growth factor receptor signaling.**

H. Gillham, M.C.H.M. Golding, R. Pepperkok, and W.J. Gullick

881 **Insulin-like growth factor II signaling in neoplastic proliferation is blocked by transgenic expression of the metalloproteinase inhibitor TIMP-1.**

D.C. Martin, J.L. Fowlkes, B. Babic, and R. Khokha

893 **Role of transmembrane 4 superfamily (TM4SF) proteins CD9 and CD81 in muscle cell fusion and myotube maintenance.**

I. Tachibana and M.E. Hemler

In Brief

Microtubule interactions with regulatory proteins. Overturning a model for the timing of cytokinesis. Role of actin in maintaining spindle orientation. Synergistic signals for neuronal survival.

A.W. Dove

Regular Articles

905 **Megabase chromatin domains involved in DNA double-strand breaks in vivo.**

E.P. Rogakou, C. Boon, C. Redon, and W.M. Bonner

917 **The 193-kD vault protein, VPARP, is a novel poly(ADP-ribose) polymerase.**

V.A. Kickhoefer, A.C. Siva, N.L. Kedersha, E.M. Inman, C. Ruland, M. Streuli, and L.H. Rome

929 **A nuclear action of the eukaryotic cochaperone RAP46 in downregulation of glucocorticoid receptor activity.**

J. Schneikert, S. Hübner, E. Martin, and A.C.B. Cato

941 **Human BUBR1 is a mitotic checkpoint kinase that monitors CENP-E functions at kinetochores and binds the cyclosome/APC.**

G.K.T. Chan, S.A. Jablonski, V. Sudakin, J.C. Hittle, and T.J. Yen

955 **Depolarization and neurotrophins converge on the phosphatidylinositol 3-kinase–Akt pathway to synergistically regulate neuronal survival.**

A.R. Vaillant, I. Mazzoni, C. Tudan, M. Boudreau, D.R. Kaplan, and F.D. Miller

967 **H-Ras activation promotes cytoplasmic accumulation and phosphoinositide 3-OH kinase association of β-catenin in epidermal keratinocytes.**

J. Espada, M. Pérez-Moreno, V.M.M. Braga, P. Rodriguez-Viciana, and A. Cano

981 **Parameters that specify the timing of cytokinesis.**

C.B. Shuster and D.R. Burgess

993 **γ-Synergin: An EH domain–containing protein that interacts with γ-adaptin.**

L.J. Page, P.J. Sowerby, W.W.Y. Lui, and M.S. Robinson

1005 ***mini spindles*: A gene encoding a conserved microtubule-associated protein required for the integrity of the mitotic spindle in *Drosophila*.**

C.F. Cullen, P. Deák, D.M. Glover, and H. Ohkura

1019 **The role of actin in spindle orientation changes during the *Saccharomyces cerevisiae* cell cycle.**

C.L. Theesfeld, J.E. Irazoqui, K. Bloom, and D.J. Lew

1033 **Microtubule targeting of substrate contacts promotes their relaxation and dissociation.**

I. Kaverina, O. Krylyshkina, and J.V. Small

1045 **Myosin Va movements in normal and *dilute-lethal* axons provide support for a dual filament motor complex.**

P.C. Bridgman

1061 **Filamin is required for ring canal assembly and actin organization during *Drosophila* oogenesis.**

M.-g. Li, M. Serr, K. Edwards, S. Ludmann, D. Yamamoto, L.G. Tilney, C.M. Field, and T.S. Hays

1075 **Apical spectrin is essential for epithelial morphogenesis but not apicobasal polarity in *Drosophila*.**

D.C. Zarnescu and G.H. Thomas

1087 **Localized depolymerization of the major sperm protein cytoskeleton correlates with the forward movement of the cell body in the amoeboid movement of nematode sperm.**

J.E. Italiano, Jr., M. Stewart, and T.M. Roberts

1097 **Regulated actin cytoskeleton assembly at filopodium tips controls their extension and retraction.**

A. Mallavarapu and T. Mitchison

1107 **Regulation of cell contraction and membrane ruffling by distinct signals in migratory cells.**

D.A. Cheresh, J. Leng, and R.L. Klemke

1117 **Afadin: A key molecule essential for structural organization of cell–cell junctions of polarized epithelia during embryogenesis.**

W. Ikeda, H. Nakanishi, J. Miyoshi, K. Mandai, H. Ishizaki, M. Tanaka, A. Togawa, K. Takahashi, H. Nishioka, H. Yoshida, A. Mizoguchi, S.-i. Nishikawa, and Y. Takai

1133 **Distinct domains of MuSK mediate its abilities to induce and to associate with postsynaptic specializations.**

H. Zhou, D.J. Glass, G.D. Yancopoulos, and J.R. Sanes

1147 **Protein kinase C–dependent mobilization of the α6β4 integrin from hemidesmosomes and its association with actin-rich cell protrusions drive the chemotactic migration of carcinoma cells.**

I. Rabinovitz, A. Toker, and A.M. Mercurio

1161 **CD38/ADP-ribosyl cyclase: A new role in the regulation of osteoclastic bone resorption.**

L. Sun, O.A. Adebanjo, B.S. Moonga, S. Corisdeo, H.K. Anandatheerthavarada, G. Biswas, T. Arakawa, Y. Hakeda, A. Koval, B. Sodam, P.J.R. Bevis, A.J. Moser, F.A. Lai, S. Epstein, B.R. Troen, M. Kumegawa, and M. Zaidi

1173 **Heterophilic binding of L1 on unmyelinated sensory axons mediates Schwann cell adhesion and is required for axonal survival.**

C.A. Haney, Z. Sahenk, C. Li, V.P. Lemmon, J. Roder, and B.D. Trapp

1185 **The functional diversity of epidermal keratins revealed by the partial rescue of the keratin 14 null phenotype by keratin 16.**
R.D. Paladini and P.A. Coulombe

1203 ADDITIONS AND CORRECTIONS

The online version of this article contains supplemental material.

Volume 146, Number 6, September 20, 1999

In Brief

Actin-based movement.
Regulation of myosin motility.
A second, multifunctional adenomatous polyposis coli.
W.A. Wells

Mini-Review

1205 **Beyond nuclear transport: Ran-GTP as a determinant of spindle assembly.**
J.A. Kahana and D.W. Cleveland

Regular Articles

1211 **Nuclear organization of mammalian genomes: Polar chromosome territories build up functionally distinct higher order compartments.**
N. Sadoni, S. Langer, C. Fauth, G. Bernardi, T. Cremer, B.M. Turner, and D. Zink

1227 **Starvation induces vacuolar targeting and degradation of the tryptophan permease in yeast.**
T. Beck, A. Schmidt, and M.N. Hall

1239 **Characterization and dynamics of aggresome formation by a cytosolic GFP-chimera.**
R. García-Mata, Z. Bebök, E.J. Sorscher, and E.S. Sztul

1255 **Regulation of $p21^{cip1}$ expression by growth factors and the extracellular matrix reveals a role for transient ERK activity in G1 phase.**
M.E. Bottazzi, X. Zhu, R.M. Böhmer, and R.K. Assoian

1265 **Regulation of melanosome movement in the cell cycle by reversible association with myosin V.**
S.L. Rogers, R.L. Karcher, J.T. Roland, A.A. Minin, W. Steffen, and V.I. Gelfand

1277 **Defective kinesin heavy chain behavior in mouse kinesin light chain mutants.**
A. Rahman, A. Kamal, E.A. Roberts, and L.S.B. Goldstein

1289 **Op18/stathmin mediates multiple region-specific tubulin and microtubule-regulating activities.**
N. Larsson, B. Segerman, B. Howell, K. Fridell, L. Cassimeris, and M. Gullberg

1303 ***Drosophila* APC2 is a cytoskeletally-associated protein that regulates Wingless signaling in the embryonic epidermis.**
B.M. McCartney, H.A. Dierick, C. Kirkpatrick, M.M. Moline, A. Baas, M. Peifer, and A. Bejsovec

1319 **Activation of the CDC42 effector N-WASP by the *Shigella flexneri* IcsA protein promotes actin nucleation by Arp2/3 complex and bacterial actin-based motility.**
C. Egile, T.P. Loisel, V. Laurent, R. Li, D. Pantaloni, P.J. Sansonetti, and M.-F. Carlier

1333 ***Listeria monocytogenes* exploits normal host cell processes to spread from cell to cell.**
J.R. Robbins, A.I. Barth, H. Marquis, E.L. de Hostos, W.J. Nelson, and J.A. Theriot

1351 **Apoptotic activities of wild-type and Alzheimer's disease-related mutant presenilins in *Drosophila melanogaster*.**
Y. Ye and M.E. Fortini

1365 **Rat optic nerve oligodendrocytes develop in the absence of viable retinal ganglion cell axons.**
H. Ueda, J.M. Levine, R.H. Miller, and B.D. Trapp

1375 **Function of $\alpha3\beta1$–tetraspanin protein complexes in tumor cell invasion. Evidence for the role of the complexes in production of matrix metalloproteinase 2 (MMP-2).**
T. Sugiura and F. Berditchevski

1391 ADDITIONS AND CORRECTIONS

1393 AUTHOR INDEX FOR VOLUME 146

1403 SUBJECT INDEX FOR VOLUME 146

The online version of this article contains supplemental material.